

## 00-107-264

Industrial automation components

<b>Manufacturer</b>	Kuka
<b>Catalog number</b>	00-107-264
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

### Technical specification

<b>Weight</b>	0.68 kgs
<b>Signal Level</b>	24 V
<b>Relay Specifications</b>	5 A
<b>Current</b>	0.5 A
<b>Signal Type</b>	24

### Description

The KUKA 00-107-264 is a KCP2 (KUKA Control Panel 2) operator unit designed for precise control and programming of KUKA robotic systems. This hand-held device features a 20-meter cable, providing flexibility and mobility for operators during setup and maintenance tasks. It operates on a 24 V DC power supply with a current rating of 5 A, ensuring stable and efficient performance in industrial environments. The control panel is housed in a robust enclosure measuring 100 mm in height, 340 mm in length, and 260 mm in width, with a weight of 3.50 kg, making it suitable for demanding industrial applications. The KUKA 00-107-264 is compatible with various KUKA robotic systems, offering an intuitive interface for programming and operation. Its ergonomic design minimizes operator fatigue, making it ideal for extended use. This operator unit is particularly effective for tasks such as welding, assembly, palletizing, and material handling, enhancing productivity and precision in automated processes.