

## CP1E-N40DR-A

Industrial automation components

<b>Manufacturer</b>	Omron
<b>Catalog number</b>	cple-n40dr-a
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

### Technical specification

<b>Weight</b>	0.45 kgs
<b>Display Name</b>	CP1E-N40DR-A
<b>Description</b>	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port
<b>ETIM Class</b>	EC000236
<b>EAN</b>	4547648639255.0
<b>Group</b>	BA
<b>Fam</b>	BAD
<b>Country of Origin</b>	CHN
<b>Customs Tariff Code</b>	8471607000.0
<b>OC Code</b>	CP1W0095G
<b>Second Item Number</b>	CP1EN40DRA
<b>Category</b>	Sterownik PLC - CP1E-N
<b>Stat Fam</b>	2FCE
<b>Stat Fam description</b>	CP1E CPU
<b>Publication sort</b>	1CBC1
<b>Primary Package Length</b>	172
<b>Primary Package Width</b>	141
<b>Primary Package Depth</b>	116
<b>Dimensions</b>	172mm x 141mm x 116mm
<b>Primary Package Weight</b>	749 g

## Description

CP1E-N40DR-A | Omron, CPU Module, 100 to 240 V ac, 8 k, 0.4  $\mu$ s | Brand / Manufacturer: Omron | product type: CPU Module | supply voltage: 100 to 240 V ac | program capacity: 8K Words | power consumption: 0.21 A @ 5 V;0.09 A @ 24 V | CPU processing time: 0.4 ms | number of digital inputs: 24 | number of digital outputs: 16 | interface type: RS 232;RS 485