

### 1FK2105-4AF00-0SB0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 1fk2105-4af00-0sb0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                |                                      |
|--------------------------------|--------------------------------------|
| Aluminium Weight               | 0                                    |
| Argent Weight                  | 0                                    |
| Customs Tariff Code            | 85015220                             |
| Copper Weight                  | 0                                    |
| EAN                            | 4025515676836.0                      |
| Quantity in Package            | 1                                    |
| UPC                            | 195125048492.0                       |
| Weight                         | 5600                                 |
| Product ID                     | 1FK2105-4AF00-0SB0                   |
| AL Field                       | N                                    |
| Compliance                     | Produkt zgodny z RoHS od: 01.07.2006 |
| Configurable Product           | True                                 |
| Country of Origin              | DE                                   |
| ECCN                           | N                                    |
| eClass 6                       | 27-02-26-02                          |
| eClass 7.1                     | 27-02-26-02                          |
| eClass 8                       | 27-02-26-02                          |
| eClass Version 9               | 27-02-26-02                          |
| eClass Version 9.1             | 27-02-26-02                          |
| ETIM 7                         | EC001851                             |
| Group Classification Key       | R220                                 |
| List of Characteristics        | D32                                  |
| Metals Coefficient             | -----71                              |
| Packaging Length               | 460,00                               |
| Packaging Width                | 265,00                               |
| Packaging Height               | 285,00                               |
| Packaging Size                 | MM                                   |
| Product Code                   | 4R42                                 |
| Comparative Metals Coefficient | 01.07.2006                           |
| Unit of Measure                | ST                                   |
| Article Number                 | 1FK21054AF000SB0                     |
| Product Family                 | Ordering Data Overview               |
| Product Group                  | 4R42                                 |
| Catalog ID                     | D32                                  |
| Packaging Dimensions           | 10.433 x 18.11 x 11.22               |

|                                     |                |
|-------------------------------------|----------------|
| <b>Package Size Unit of Measure</b> | Inch           |
| <b>Quantity Unit</b>                | 1 Piece        |
| <b>Voltage Rating</b>               | 480 V, 240 V   |
| <b>Power</b>                        | 1.45, 0.79 kW  |
| <b>Speed</b>                        | 3000, 1500 rpm |
| <b>IP Rating</b>                    | IP64           |
| <b>Net Weight</b>                   | 12.346 lb      |
| <b>Packaging Quantity</b>           | 1 pieces       |
| <b>Commodity Code</b>               | 85015220       |
| <b>Tightening Torque</b>            | 5 Nm           |