

### 1FK2106-6AF01-1SB0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 1fk2106-6af01-1sb0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                              |                                      |
|------------------------------|--------------------------------------|
| Aluminium Weight             | 0                                    |
| Argent Weight                | 0                                    |
| Customs Tariff Code          | 85015220                             |
| Copper Weight                | 0                                    |
| Quantity in Package          | 1                                    |
| UPC                          | 195125403970.0                       |
| Weight                       | 12000                                |
| Packaging Size               | MM                                   |
| Product ID                   | 1FK2106-6AF01-1SB0                   |
| AL Field                     | N                                    |
| Compliance                   | Produkt zgodny z RoHS od: 01.01.0001 |
| Configurable Product         | True                                 |
| Country of Origin            | DE                                   |
| ECCN                         | N                                    |
| eClass 6                     | 27-02-26-02                          |
| eClass 7.1                   | 27-02-26-02                          |
| eClass 8                     | 27-02-26-02                          |
| eClass Version 9             | 27-02-26-02                          |
| eClass Version 9.1           | 27-02-26-02                          |
| ETIM 7                       | EC001851                             |
| Group Classification Key     | R220                                 |
| List of Characteristics      | D32                                  |
| Metals Coefficient           | -----71                              |
| Packaging Length             | 492,00                               |
| Packaging Width              | 365,00                               |
| Packaging Height             | 335,00                               |
| Product Code                 | 4R42                                 |
| Unit of Measure              | ST                                   |
| Article Number               | 1FK21066AF011SB0                     |
| Product Family               | Ordering Data Overview               |
| Product Group                | 4R42                                 |
| Catalog ID                   | D32                                  |
| Packaging Dimensions         | 14.37 x 19.37 x 13.189               |
| Package Size Unit of Measure | Inch                                 |
| Quantity Unit                | 1 Piece                              |

|                           |                |
|---------------------------|----------------|
| <b>Voltage Rating</b>     | 480 V, 240 V   |
| <b>Power</b>              | 3.3, 2.15 kW   |
| <b>Speed</b>              | 3000, 1500 rpm |
| <b>IP Rating</b>          | IP65           |
| <b>Net Weight</b>         | 26.455 lb      |
| <b>Packaging Quantity</b> | 1 pieces       |
| <b>Commodity Code</b>     | 85015220       |
| <b>Tightening Torque</b>  | 16 Nm          |