

### 1FK2204-5AF10-2MA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	1fk2204-5af10-2ma0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	4.08 kgs
<b>Quantity in Package</b>	1
<b>Product Code</b>	9021
<b>UPC</b>	195125434318.0
<b>Group Classification Key</b>	R220
<b>Aluminium Weight</b>	0
<b>Argent Weight</b>	0
<b>Customs Tariff Code</b>	85015100
<b>Copper Weight</b>	0
<b>EAN</b>	4025515681236.0
<b>Product ID</b>	1FK2204-5AF10-2MA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.07.2006
<b>Configurable Product</b>	True
<b>Country of Origin</b>	DE
<b>ECCN</b>	N
<b>eClass 6</b>	27-02-26-02
<b>eClass 7.1</b>	27-02-26-02
<b>eClass 8</b>	27-02-26-02
<b>eClass Version 9</b>	27-02-26-02
<b>eClass Version 9.1</b>	27-02-26-02
<b>ETIM 7</b>	EC001851
<b>List of Characteristics</b>	D32
<b>Metals Coefficient</b>	-----71
<b>Packaging Length</b>	452,00
<b>Packaging Width</b>	250,00
<b>Packaging Height</b>	267,00
<b>Packaging Size</b>	MM
<b>Comparative Metals Coefficient</b>	01.07.2006
<b>Unit of Measure</b>	ST
<b>Article Number</b>	1FK22045AF102MA0
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	D32
<b>Packaging Dimensions</b>	250.00 x 452.00 x 267.00
<b>Package Size Unit of Measure</b>	MM

<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	480 V, 240 V
<b>Power</b>	0.75, 0.375 kW
<b>Speed</b>	3000, 1500 rpm
<b>IP Rating</b>	IP64
<b>Product Group</b>	9021
<b>Net Weight</b>	3.750 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85015100
<b>Tightening Torque</b>	2.4 Nm