Siemens

DATA SHEET

# 1FK2206-2AF10-1MA0

Industrial automation components

| | |
|---|---|
| **Manufacturer** | Siemens |
| **Catalog number** | 1fk2206-2af10-1ma0 |
| **Category** | Industrial automation components |
| **Product type** | Industrial automation components |
| **Status** | Active product |

## Technical specification

| | |
|---|---|
| **Aluminium Weight** | 0 |
| **Argent Weight** | 0 |
| **Customs Tariff Code** | 85015220 |
| **Copper Weight** | 0 |
| **EAN** | 4025515679707.0 |
| **Quantity in Package** | 1 |
| **Weight** | 7900 |
| **Product ID** | 1FK2206-2AF10-1MA0 |
| **AL Field** | N |
| **Configurable Product** | True |
| **Country of Origin** | DE |
| **ECCN** | N |
| **eClass 6** | 27-02-26-02 |
| **eClass 7.1** | 27-02-26-02 |
| **eClass 8** | 27-02-26-02 |
| **eClass Version 9** | 27-02-26-02 |
| **eClass Version 9.1** | 27-02-26-02 |
| **ETIM 7** | EC001851 |
| **Group Classification Key** | R220 |
| **List of Characteristics** | D32 |
| **Metals Coefficient** | ------71 |
| **Packaging Length** | 452,00 |
| **Packaging Width** | 250,00 |
| **Packaging Height** | 267,00 |
| **Packaging Size** | MM |
| **Product Code** | 4R42 |
| **Comparative Metals Coefficient** | 01.07.2006 |
| **Unit of Measure** | ST |
| **Compliance** | Produkt zgdony z RoHS od: 01.07.2006 |
| **Product Family** | Ordering Data Overview |
| **Product Group** | 4R42 |
| **Catalog ID** | D32 |
| **Packaging Dimensions** | 9.843 x 17.795 x 10.512 |
| **Package Size Unit of Measure** | Inch |
| **Quantity Unit** | 1 Piece |

| | |
|---|---|
| **Voltage Rating** | 480 V, 240 V |
| **Power** | 1.71, 0.97 kW |
| **Speed** | 3000, 1500 rpm |
| **Article Number** | 1FK22062AF101MA0 |
| **Net Weight** | 17.417 lb |
| **Packaging Quantity** | 1 pieces |
| **Commodity Code** | 85015220 |
| **Tightening Torque** | 6.5 Nm |
| **IP Rating** | IP64 |