

### 1FK2208-4AC11-1SA0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 1fk2208-4ac11-1sa0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                |                                      |
|--------------------------------|--------------------------------------|
| Aluminium Weight               | 0                                    |
| Argent Weight                  | 0                                    |
| Customs Tariff Code            | 85015220                             |
| Copper Weight                  | 0                                    |
| EAN                            | 4025515680222.0                      |
| Quantity in Package            | 1                                    |
| UPC                            | 195125127012.0                       |
| Weight                         | 17300                                |
| Product ID                     | 1FK2208-4AC11-1SA0                   |
| AL Field                       | N                                    |
| Compliance                     | Produkt zgodny z RoHS od: 01.07.2006 |
| Configurable Product           | True                                 |
| Country of Origin              | DE                                   |
| ECCN                           | N                                    |
| eClass 6                       | 27-02-26-02                          |
| eClass 7.1                     | 27-02-26-02                          |
| eClass 8                       | 27-02-26-02                          |
| eClass Version 9               | 27-02-26-02                          |
| eClass Version 9.1             | 27-02-26-02                          |
| ETIM 7                         | EC001851                             |
| Group Classification Key       | R220                                 |
| List of Characteristics        | D32                                  |
| Metals Coefficient             | - - - - -71                          |
| Packaging Length               | 452,00                               |
| Packaging Width                | 250,00                               |
| Packaging Height               | 267,00                               |
| Packaging Size                 | MM                                   |
| Product Code                   | 4R42                                 |
| Comparative Metals Coefficient | 01.07.2006                           |
| Unit of Measure                | ST                                   |
| Product Family                 | Ordering Data Overview               |
| Product Group                  | 4R42                                 |
| Catalog ID                     | D32                                  |
| Packaging Dimensions           | 9.843 x 17.795 x 10.512              |
| Package Size Unit of Measure   | Inch                                 |

|                           |                  |
|---------------------------|------------------|
| <b>Quantity Unit</b>      | 1 Piece          |
| <b>Voltage Rating</b>     | 480 V, 240 V     |
| <b>Power</b>              | 3.55, 2.15 kW    |
| <b>Speed</b>              | 2000, 1000 rpm   |
| <b>IP Rating</b>          | IP65             |
| <b>Article Number</b>     | 1FK22084AC111SA0 |
| <b>Net Weight</b>         | 38.140 lb        |
| <b>Packaging Quantity</b> | 1 pieces         |
| <b>Commodity Code</b>     | 85015220         |
| <b>Tightening Torque</b>  | 22 Nm            |