

### 1FK2210-3AB10-1MA0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 1fk2210-3ab10-1ma0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                |                                      |
|--------------------------------|--------------------------------------|
| Aluminium Weight               | 0                                    |
| Argent Weight                  | 0                                    |
| Customs Tariff Code            | 85015220                             |
| Copper Weight                  | 0                                    |
| EAN                            | 4025515680499.0                      |
| Quantity in Package            | 1                                    |
| Weight                         | 25000                                |
| Product ID                     | 1FK2210-3AB10-1MA0                   |
| AL Field                       | N                                    |
| Compliance                     | Produkt zgodny z RoHS od: 01.07.2006 |
| Configurable Product           | True                                 |
| Country of Origin              | DE                                   |
| ECCN                           | N                                    |
| eClass 6                       | 27-02-26-02                          |
| eClass 7.1                     | 27-02-26-02                          |
| eClass 8                       | 27-02-26-02                          |
| eClass Version 9               | 27-02-26-02                          |
| eClass Version 9.1             | 27-02-26-02                          |
| ETIM 7                         | EC001851                             |
| Group Classification Key       | R220                                 |
| List of Characteristics        | D32                                  |
| Metals Coefficient             | -----71                              |
| Packaging Length               | 492,00                               |
| Packaging Width                | 365,00                               |
| Packaging Height               | 335,00                               |
| Packaging Size                 | MM                                   |
| Product Code                   | 4R42                                 |
| Comparative Metals Coefficient | 01.07.2006                           |
| Unit of Measure                | ST                                   |
| Product Family                 | Ordering Data Overview               |
| Product Group                  | 4R42                                 |
| Catalog ID                     | D32                                  |
| Packaging Dimensions           | 14.37 x 19.37 x 13.189               |
| Package Size Unit of Measure   | Inch                                 |
| Quantity Unit                  | 1 Piece                              |

|                           |                  |
|---------------------------|------------------|
| <b>Voltage Rating</b>     | 480 V, 240 V     |
| <b>Speed</b>              | 1500, 750 rpm    |
| <b>Article Number</b>     | 1FK22103AB101MA0 |
| <b>Net Weight</b>         | 55.116 lb        |
| <b>Packaging Quantity</b> | 1 pieces         |
| <b>Commodity Code</b>     | 85015220         |
| <b>Power</b>              | 4.5, 2.5 kW      |
| <b>Tightening Torque</b>  | 30 Nm            |
| <b>IP Rating</b>          | IP64             |