

### 1FK2306-4AC01-1MB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	1fk2306-4ac01-1mb0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	1FK2306-4AC01-1MB0
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85015220
Copper Weight	0
EAN	4025515669951.0
Quantity in Package	1
Weight	11400
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2019
Configurable Product	False
Country of Origin	CN
ECCN	N
eClass 6	27-02-26-02
eClass 7.1	27-02-26-02
eClass 8	27-02-26-02
eClass Version 9	27-02-26-02
eClass Version 9.1	27-02-26-02
ETIM 7	EC001851
Group Classification Key	R220
List of Characteristics	NC82
Metals Coefficient	-----71
Packaging Length	455,00
Packaging Width	255,00
Packaging Height	275,00
Packaging Size	MM
Product Code	4R43
Comparative Metals Coefficient	01.06.2019
Unit of Measure	ST
Product Description	SIMOTICS S-1FK2 HI servo motor M0=12 Nm; PN = 2.2 kW at NN=2000 rpm, (380-480 V); degree of protection IP65; shaft D24x50 mm with feather key; absolute encoder 22-bit + 12-bit multiturn (encoder AM22DQC); with DRIVE-CLiQ plug M17; power connector size M23
Article Number	1FK23064AC011MB0
Product Family	1FK2 for SINAMICS S120
Product Group	4R43

<b>Catalog ID</b>	NC82
<b>Packaging Dimensions</b>	10.039 x 17.913 x 10.827
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	480 V
<b>IP Rating</b>	IP65
<b>Net Weight</b>	25.133 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85015220
<b>Power</b>	2.2 kW
<b>Speed</b>	2000 rpm
<b>Tightening Torque</b>	12 Nm