

### 3KD4830-0QE10-0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3kd4830-0qe10-0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Packaging Size	MM
Product ID	3KD4830-0QE10-0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 24.11.2009
Configurable Product	False
Country of Origin	CN
ECCN	N
ETIM 7	EC000216
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Product Description	rozłącznik izolacyjny 800A, wielkość 4, 3-bieg. napęd przedni z lewej strony jednostka podstawowa bez rękojeści przyłącze płaskie
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85365080
Copper Weight	0
EAN	4001869473154.0
eClass 6	27-37-14-03
eClass 7.1	27-37-14-03
eClass 8	27-37-14-03
eClass Version 9	27-37-14-03
eClass Version 9.1	27-37-14-03
Quantity in Package	1
Packaging Length	322,00
Packaging Width	264,00
Packaging Height	177,00
Product Code	5378
Comparative Metals Coefficient	24.11.2009
Weight	7312 kg

## Description

The 800A isolating switch, size 4, features a three-position operation with a front drive on the left side. This product is a basic unit without a handle and has a flat connection. It complies with RoHS since November 24, 2009, and is not configurable. The weight is 7312 g, with packaging dimensions of 322 mm in length, 264 mm in width, and 177 mm in height. Originating from China, the customs tariff code is 85365080. The product EAN is 4001869473154, and the quantity per package is 1.