

### 3LD2264-1TC51

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3ld2264-1tc51
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

AL Field	N
Unit of Measure	ST
List of Characteristics	LV10.1
Packaging Length	165,00
Packaging Width	120,00
Quantity in Package	1
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85365080
Copper Weight	0
EAN	4011209608443.0
Packaging Height	100,00
Product Code	5887
Weight	426
eClass Version 9.1	27-37-14-03
Metals Coefficient	LA0-----
Product Description	4-BIEG. ROZŁĄCZNIK GŁÓWNY / AWARYJNY Z ZACISKIEM PE; MOC: 11.5kW /AC23 A; 9.5kW /AC-3; PRĄD: IU=32A/ AC-21A W OBUDOWIE Z TWORZYWA Z CZARNYM NAPĘDEM OBROTOWYM Z MOŻLIWOŚCIĄ BLOKOWANIA W POZYCJI 0 NA 3 KŁÓDKI
Comparative Metals Coefficient	09.02.2004
ETIM 7	EC000216
ECCN	N
Product ID	3LD2264-1TC51
Country of Origin	DE
Packaging Size	MM
Compliance	Produkt zgodny z RoHS od: 09.02.2004
Configurable Product	False
eClass 6	27-37-14-03
eClass 7.1	27-37-14-03
eClass 8	27-37-14-03
eClass Version 9	27-37-14-03
Group Classification Key	P360

## Description

4-BIEG. ROZŁĄCZNIK GŁÓWNY / AWARYJNY Z ZACISKIEM PE; MOC: 11.5kW /AC23 A; 9.5kW /AC-3;  
PRĄD: IU=32A/ AC-21A W OBUDOWIE Z TWORZYWA Z CZARNYM NAPĘDEM OBROTOWYM Z MOŻLIWOŚCIĄ  
BLOKOWANIA W POZYCJI 0 NA 3 KŁÓDKI