

3LD33480TK53

Industrial automation components

Manufacturer	Siemens
Catalog number	3ld33480tk53
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	0.45 kgs
AL Field	N
Customs Tariff Code	85365080
EAN	4001869551456.0
Quantity in Package	1
Product Code	5887
Product ID	3LD3348-0TK53
Compliance	Produkt zgodny z RoHS od: 01.09.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-14-03
eClass 7.1	27-37-14-03
eClass 8	27-37-14-03
eClass Version 9	27-37-14-03
eClass Version 9.1	27-37-14-03
ETIM 7	EC000216
Group Classification Key	P360
List of Characteristics	LV10
Packaging Length	83,00
Packaging Width	68,00
Packaging Height	420,00
Packaging Size	MM
Product Description	Rozłącznik izolacyjny 3LD3, Iu 40 A wyłącznik główny 3-biegunowy Znamionowa moc robocza przy AC-23 A przy 400V 18,5kW mocowanie do podłoża wyłącznik podstawowy ze sprzęgłem mocowanie w otworze centralnym 22,5mm napęd obrotowy czerwony/żółty 66 x 66 mm
Comparative Metals Coefficient	01.09.2006
Unit of Measure	ST
Article Number	3LD33480TK53
Product Family	Ordering Data Overview
Packaging Dimensions	2.677 x 3.268 x 16.535
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Current Rating	40, 23 A
Voltage Rating	400 V

Product Group	5887
Net Weight	0.767 lb
Packaging Quantity	1 pieces
Commodity Code	85365080
Power	18.5 kW
Number of Poles	3
Catalog ID	LV10
Utilization Category	AC-23

Description

Load disconnecter 3LD3, Iu 40 A Main switch 3-pole Rated operating capacity at AC-23 A at 400 V 18.5 kW floor mounting Basic switch with door coupling Central hole mounting 22.5mm Rotary actuator red / yellow 66 x 66 mm