

3LD34480TL53

Industrial automation components

Manufacturer	Siemens
Catalog number	3ld34480tl53
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Customs Tariff Code	85365080
Configurable Product	False
EAN	4001869551913.0
Quantity in Package	1
Product Code	5887
Weight	385
Unit of Measure	ST
Product ID	3LD3448-0TL53
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.09.2006
Country of Origin	DE
ECCN	N
eClass 6	27-37-14-03
eClass 7.1	27-37-14-03
eClass 8	27-37-14-03
eClass Version 9	27-37-14-03
eClass Version 9.1	27-37-14-03
ETIM 7	EC000216
Group Classification Key	P360
List of Characteristics	LV10
Packaging Length	83,00
Packaging Width	68,00
Packaging Height	420,00
Packaging Size	MM
Product Description	Rozłącznik izolacyjny 3LD3, Iu 63 A wyłącznik główny 3-biegunowy + N Znamionowa moc robocza przy AC-23 A przy 400V 22,0kW mocowanie do podłoża wyłącznik podstawowy ze sprzęgłem mocowanie w otworze centralnym 22,5mm napęd obrotowy czerwony/żółty 66 x 66 mm
Comparative Metals Coefficient	01.09.2006
Article Number	3LD34480TL53
Product Family	Ordering Data Overview
Catalog ID	LV10
Packaging Dimensions	2.677 x 3.268 x 16.535
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Current Rating	63, 23 A

Voltage Rating	400 V
Product Group	5887
Net Weight	0.849 lb
Packaging Quantity	1 pieces
Commodity Code	85365080
Power	22.0 kW
Number of Poles	3
Utilization Category	AC-23

Description

Load disconnecter 3LD3, Iu 63 A Main switch 3-pole + N Rated operating capacity at AC-23 A at 400V 22.0 kW floor mounting Basic switch with door coupling Central hole mounting 22.5mm Rotary actuator red / yellow 66 x 66 mm