

3LD34540TL53

Industrial automation components

Manufacturer	Siemens
Catalog number	3ld34540tl53
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

eClass Version 9	27-37-14-03
eClass Version 9.1	27-37-14-03
ETIM 7	EC000216
Group Classification Key	P360
List of Characteristics	LV10
Packaging Length	85,00
Packaging Width	79,00
Packaging Size	MM
Packaging Height	110,00
Product Code	5887
Customs Tariff Code	85365080
EAN	4001869552071.0
Quantity in Package	1
UPC	804766495311.0
Weight	274
Product ID	3LD3454-0TL53
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.09.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-14-03
eClass 7.1	27-37-14-03
eClass 8	27-37-14-03
Product Description	Rozłącznik izolacyjny 3LD3, Iu 63 A wyłącznik główny 3-biegunowy + N Znamionowa moc robocza przy AC-23 A przy 400V 22,0kW mocowanie frontowe, wyłącznik podstawowy z mocowanie w otworze centralnym 22,5mm napęd pokrętłem czerwony/żółty 66x66 mm
Comparative Metals Coefficient	01.09.2006
Unit of Measure	ST
Article Number	3LD34540TL53
Product Family	Ordering Data Overview
Catalog ID	LV10
Packaging Dimensions	3.11 x 3.346 x 4.331
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece

Current Rating	63, 23 A
Voltage Rating	400 V
Product Group	5887
Net Weight	0.600 lb
Packaging Quantity	1 pieces
Commodity Code	85365080
Power	22.0 kW
Number of Poles	3
Utilization Category	AC-23

Description

Load disconnecter 3LD3, Iu 63 A Main switch 3-pole + N Rated operating capacity at AC-23 A at 400V 22.0 kW Front plate mounting Basic switch with Central hole mounting 22.5mm Toggle drive red / yellow 66x66 mm