

### 3LD5010-0TK11

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 3ld5010-0tk11                    |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                     |                                      |
|-------------------------------------|--------------------------------------|
| <b>Weight</b>                       | 0.45 kgs                             |
| <b>Customs Tariff Code</b>          | 85365080                             |
| <b>EAN</b>                          | 4001869575544.0                      |
| <b>Quantity in Package</b>          | 1                                    |
| <b>Product Code</b>                 | 5887                                 |
| <b>Product ID</b>                   | 3LD5010-0TK11                        |
| <b>AL Field</b>                     | N                                    |
| <b>Compliance</b>                   | Produkt zgodny z RoHS od: 01.01.0001 |
| <b>Configurable Product</b>         | False                                |
| <b>Country of Origin</b>            | DE                                   |
| <b>ECCN</b>                         | N                                    |
| <b>eClass 6</b>                     | 27-37-14-03                          |
| <b>eClass 7.1</b>                   | 27-37-14-03                          |
| <b>eClass 8</b>                     | 27-37-14-03                          |
| <b>eClass Version 9</b>             | 27-37-14-03                          |
| <b>eClass Version 9.1</b>           | 27-37-14-03                          |
| <b>ETIM 7</b>                       | EC000216                             |
| <b>Group Classification Key</b>     | P360                                 |
| <b>List of Characteristics</b>      | LV10                                 |
| <b>Packaging Length</b>             | 450,00                               |
| <b>Packaging Width</b>              | 112,00                               |
| <b>Packaging Height</b>             | 95,00                                |
| <b>Packaging Size</b>               | MM                                   |
| <b>Unit of Measure</b>              | ST                                   |
| <b>Article Number</b>               | 3LD50100TK11                         |
| <b>Product Family</b>               | Ordering Data Overview               |
| <b>Catalog ID</b>                   | LV10                                 |
| <b>Packaging Dimensions</b>         | 3.543 x 4.331 x 17.717               |
| <b>Package Size Unit of Measure</b> | Inch                                 |
| <b>Quantity Unit</b>                | 1 Piece                              |
| <b>Current Rating</b>               | 30, 32, 23 A                         |
| <b>Voltage Rating</b>               | 400 V                                |
| <b>Standards</b>                    | UL489, UL508, IEC60947-3             |
| <b>Product Group</b>                | 5887                                 |
| <b>Net Weight</b>                   | 0.882 lb                             |

|                           |          |
|---------------------------|----------|
| <b>Packaging Quantity</b> | 1 pieces |
| <b>Commodity Code</b>     | 85365080 |
| <b>Power</b>              | 15 kW    |
| <b>Number of Poles</b>    | 3        |
| <b>SCCR</b>               | 50 kA    |