

### 3NA6144

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3na6144
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Weight	0.45 kgs
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85361090
Copper Weight	0
EAN	4001869071473.0
Quantity in Package	1
Product Code	5530
UPC	754554888767.0
AL Field	N
Product ID	3NA6144
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	GR
ECCN	N
eClass 6	27-14-20-05
eClass 7.1	27-14-20-05
eClass 8	27-14-20-05
eClass Version 9	27-14-20-05
eClass Version 9.1	27-14-20-05
ETIM 7	EC000055
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-P-----
Packaging Length	153,00
Packaging Width	143,00
Packaging Height	68,00
Packaging Size	MM
Product Description	WKŁADKA TOPIKOWA NH, 500V, WLK. 1, 250A, KLASA gG, Z PASKOWYM SYGN. PRZEPALENIA, ZACZEPY IZOLOWANE,
Comparative Metals Coefficient	01.06.2006
Unit of Measure	ST
Article Number	3NA6144
Product Family	Ordering Data Overview
Catalog ID	LV10.1

<b>Packaging Dimensions</b>	5.63 x 6.024 x 2.677
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating AC</b>	500 V
<b>Voltage Rating DC</b>	440 V
<b>Product Group</b>	5530
<b>Net Weight</b>	0.992 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85361090
<b>Current Rating</b>	250 A
<b>NH Size</b>	1
<b>Fuse Characteristic</b>	GG

## Description

LV HRC fuse element, NH1, In: 250 A, gG, Un AC: 500 V, Un DC: 440 V, Combined indicator, Insulated grip lugs