

3NC2291

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3nc2291 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| Weight | 214 |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85369095 |
| Copper Weight | 0 |
| EAN | 4011209570368.0 |
| Quantity in Package | 1 |
| Product Code | 5540 |
| UPC | 887621098612.0 |
| eClass 6 | 27-37-14-01 |
| eClass 7.1 | 27-37-14-01 |
| eClass 8 | 27-37-14-01 |
| eClass Version 9 | 27-37-14-01 |
| eClass Version 9.1 | 27-37-14-01 |
| Comparative Metals Coefficient | 01.07.2006 |
| Product ID | 3NC2291 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.07.2006 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | N |
| ETIM 7 | EC001040 |
| Group Classification Key | P310 |
| List of Characteristics | LV10.1 |
| Metals Coefficient | LHP----- |
| Packaging Length | 120,00 |
| Packaging Width | 75,00 |
| Packaging Height | 35,00 |
| Packaging Size | MM |
| Product Description | ROZŁĄCZNIK BEZPIECZNIKOWY DLA WKŁ. SITOR, 1-BIEG., 22X58, D0 100 A, 690 V AC |
| Unit of Measure | ST |
| Article Number | 3NC2291 |
| Product Family | Ordering Data Overview |
| Catalog ID | LV10.1 |

| | |
|-------------------------------------|-----------------------|
| Packaging Dimensions | 2.953 x 4.724 x 1.378 |
| Package Size Unit of Measure | Inch |
| Quantity Unit | 1 Piece |
| Voltage Rating | 690 V |
| Product Group | 5540 |
| Net Weight | 0.472 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 85369095 |
| Current Rating | 100 A |