

3ND2144

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3nd2144 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| Weight | 0.20 kgs |
| Product ID | 3ND2144 |
| Packaging Height | 68,00 |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85361090 |
| Copper Weight | 0 |
| EAN | 4001869268163.0 |
| Quantity in Package | 1 |
| Product Code | 5530 |
| UPC | 754554850948.0 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.01.2006 |
| Configurable Product | False |
| Country of Origin | GR |
| ECCN | N |
| eClass 6 | 27-14-20-05 |
| eClass 7.1 | 27-14-20-05 |
| eClass 8 | 27-14-20-05 |
| eClass Version 9 | 27-14-20-05 |
| eClass Version 9.1 | 27-14-20-05 |
| ETIM 7 | EC000055 |
| Group Classification Key | P310 |
| List of Characteristics | LV10.1 |
| Metals Coefficient | L-P----- |
| Packaging Length | 153,00 |
| Packaging Width | 143,00 |
| Packaging Size | MM |
| Product Description | WKŁADKA TOPIKOWA NH, KLASA AM, 690V, WLK.1, 250A, WERSJA STANDARD, Z NIEIZOLOW. ZACZEPAMI, |
| Comparative Metals Coefficient | 01.01.2006 |
| Unit of Measure | ST |
| Article Number | 3ND2144 |
| Product Family | Ordering Data Overview |
| Catalog ID | LV10.1 |

| | |
|-------------------------------------|----------------------|
| Packaging Dimensions | 5.63 x 6.024 x 2.677 |
| Package Size Unit of Measure | Inch |
| Quantity Unit | 1 Piece |
| Voltage Rating AC | 690 V |
| Voltage Rating DC | 400 V |
| Product Group | 5530 |
| Net Weight | 0.979 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 85361090 |
| Current Rating | 250 A |
| NH Size | 1 |
| Fuse Characteristic | AM |