

### 3NE3225

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 3ne3225                          |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                       |  |
|---------------------------------------|--|
| <b>Weight</b>                         | 0.12 kgs                                 |
| <b>Compliance</b>                     | Produkt zgodny z RoHS od: 01.07.2006     |
| <b>Country of Origin</b>              | GR                                       |
| <b>ECCN</b>                           | N  |
| <b>eClass 6</b>                       | 27-14-20-05                              |
| <b>eClass 7.1</b>                     | 27-14-20-05                              |
| <b>eClass 8</b>                       | 27-14-20-05                              |
| <b>eClass Version 9</b>               | 27-14-20-05                              |
| <b>eClass Version 9.1</b>             | 27-14-20-05                              |
| <b>ETIM 7</b>                         | EC000055                                 |
| <b>Group Classification Key</b>       | P310                                     |
| <b>List of Characteristics</b>        | LV10.1                                   |
| <b>Metals Coefficient</b>             | LHP-----                                 |
| <b>Packaging Length</b>               | 200,00                                   |
| <b>Packaging Width</b>                | 178,00                                   |
| <b>Packaging Height</b>               | 85,00                                    |
| <b>Packaging Size</b>                 | MM                                       |
| <b>Product Description</b>            | BEZPIECZNIK SITOR, WLK. 1 200A, AC 1000V |
| <b>Comparative Metals Coefficient</b> | 01.07.2006                               |
| <b>Unit of Measure</b>                | ST                                       |
| <b>Aluminium Weight</b>               | 0  |
| <b>Argent Weight</b>                  | 0  |
| <b>Customs Tariff Code</b>            | 85361090                                 |
| <b>Copper Weight</b>                  | 0  |
| <b>EAN</b>                            | 4011209004757.0                          |
| <b>Quantity in Package</b>            | 1  |
| <b>Product Code</b>                   | 5540                                     |
| <b>UPC</b>                            | 662643084719.0                           |
| <b>AL Field</b>                       | N  |
| <b>Product ID</b>                     | 3NE3225                                  |
| <b>Configurable Product</b>           | False                                    |
| <b>Article Number</b>                 | 3NE3225                                  |
| <b>Product Family</b>                 | Ordering Data Overview                   |
| <b>Product Group</b>                  | 5540                                     |
| <b>Catalog ID</b>                     | LV10.1                                   |

|                                     |                       |
|-------------------------------------|-----------------------|
| <b>Net Weight</b>                   | 1.263 lb              |
| <b>Packaging Dimensions</b>         | 7.008 x 7.874 x 3.346 |
| <b>Package Size Unit of Measure</b> | Inch                  |
| <b>Quantity Unit</b>                | 1 Piece               |
| <b>Packaging Quantity</b>           | 1 pieces              |
| <b>Commodity Code</b>               | 85361090              |
| <b>Current Rating</b>               | 200 A                 |
| <b>Voltage Rating AC</b>            | 1000 V                |
| <b>Fuse Characteristic</b>          | AR                    |
| <b>NH Size</b>                      | 1                     |