

### 3NH4032

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3nh4032
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product Code	5530
UPC	754554242538.0
Weight	718
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85369095
Copper Weight	0
EAN	4001869020655.0
Quantity in Package	1
Product ID	3NH4032
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	CZ
ECCN	N
eClass 6	27-14-21-06
eClass 7.1	27-14-21-06
eClass 8	27-14-21-06
eClass Version 9	27-14-21-06
eClass Version 9.1	27-14-21-06
ETIM 7	EC000067
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-P-----
Packaging Length	145,00
Packaging Height	70,00
Packaging Size	MM
Packaging Width	108,00
Product Description	PODSTAWA BEZP. NH, WLK.00, 3BIEG., Z BARIERAMI FAZOWYMI, Z ZACISKAMI OBEJMOWYMI
Comparative Metals Coefficient	01.06.2006
Unit of Measure	ST
Voltage Rating	690 V, 1000 V
Conductor Size Range	6 - 70 mm <sup>2</sup>
Article Number	3NH4032

<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10.1
<b>Packaging Dimensions</b>	4.252 x 5.709 x 2.756
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Current Rating</b>	160 A
<b>Number of Poles</b>	3
<b>Product Group</b>	5530
<b>Net Weight</b>	1.583 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85369095