

### 3RA23358XB301NB3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3ra23358xb301nb3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	3RA2335-8XB30-1NB3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000010
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDO-----
Packaging Size	MM
Product Description	kombinacja nawrotna, AC-3e/AC-3, 41 A, 18,5 kW / 400 V, 3-bieg., AC/DC 20-33 V, 50/60 Hz, przyłącze śrubowe, elektryczna i mechaniczna blokada, zestyki pomocnicze: 2 x 1 NO
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4011209937871.0
eClass 6	27-37-10-09
eClass 7.1	27-37-10-09
eClass 8	27-37-10-09
eClass Version 9	27-37-10-09
eClass Version 9.1	27-37-10-09
Quantity in Package	1
Packaging Length	300,00
Packaging Width	200,00
Packaging Height	180,00
Product Code	5337
Comparative Metals Coefficient	01.10.2014
Weight	2786 kg

## Description

The SIEMENS 3RA2335-8XB30-1NB3 reversing combination is designed for AC-3e/AC-3 applications, handling currents up to 41 A and a power of 18.5 kW at 400 V. The product features electrical and mechanical locking, along with a screw connection. The auxiliary contact includes 2 x 1 NO. Compliant with RoHS since 01.10.2014, the product is not configurable and is made in Germany. The weight is 2786 g, and the packaging dimensions are 300 x 200 x 180 mm.