

3RA24368XF321AL2

Industrial automation components

Manufacturer	Siemens
Catalog number	3ra24368xf321al2
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	3RA2436-8XF32-1AL2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000010
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDO-----
Packaging Size	MM
Product Description	układ gwiazda-trójkąt AC-3, 45 kW/400 V, AC 230 V 50/60 Hz, 3-biegunowy, wielkość S2 przyłącze śrubowe elektryczna i mechaniczna blokada 3 NO + 3NC zintegrowane
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4011209921481.0
eClass 6	27-37-10-09
eClass 7.1	27-37-10-09
eClass 8	27-37-10-09
eClass Version 9	27-37-10-09
eClass Version 9.1	27-37-10-09
Quantity in Package	1
Packaging Length	248,00
Packaging Width	5,00
Packaging Height	242,00
Product Code	5339
Comparative Metals Coefficient	01.10.2014
Weight	3318 kg

Description

Contacteur assembly for star-delta (wye-delta) start AC-3, 45 kW/400 V, 230 V AC 50/60 Hz, 3-pole, size S2 screw terminals electrical and mechanical interlock 3 NO + 3 NC integrated