

3RA24448XF321AL2

Industrial automation components

Manufacturer	Siemens
Catalog number	3ra24448xf321al2
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product ID	3RA2444-8XF32-1AL2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-09
eClass 7.1	27-37-10-09
eClass 8	27-37-10-09
eClass Version 9	27-37-10-09
eClass Version 9.1	27-37-10-09
ETIM 7	EC000010
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LC0-----
Packaging Length	329,00
Packaging Width	254,00
Packaging Height	267,00
Packaging Size	MM
Product Description	układ gwiazda-trójkąt AC-3, 55 kW/400 V AC 230 V, 50/60 Hz wielkość S3, przyłącze śrubowe elektryczna i mechaniczna blokada 3NO+3NC
Comparative Metals Coefficient	01.03.2017
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621031200.0
Quantity in Package	1
Product Code	5339
Weight	5520
Article Number	3RA24448XF321AL2
Product Family	SIRIUS 3RA24 contactor assemblies for star-delta (wye-delta) starting, up to 90 kW

Catalog ID	CC-IC10
Packaging Dimensions	10.00 x 12.953 x 10.512
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	400 V, 230 V
Frequency Range	50 - 60 Hz
Product Group	5339
Net Weight	11.901 lb
Packaging Quantity	1 pieces
Commodity Code	85364900
Power	75 kW
Utilization Category	AC-3

Description

Contacter assembly for star-delta (we-delta) start AC-3, 75 kW/400 V 230 V AC, 50/60 Hz
Size S3, screw terminal electrical and mechanical interlock 3 NO+3 NC