

3RA24458XF321AG2

Industrial automation components

Manufacturer	Siemens
Catalog number	3ra24458xf321ag2
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	1.12 kgs
Product ID	3RA2445-8XF32-1AG2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-09
eClass 7.1	27-37-10-09
eClass 8	27-37-10-09
eClass Version 9	27-37-10-09
eClass Version 9.1	27-37-10-09
ETIM 7	EC000010
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LC0-----
Packaging Length	331,00
Packaging Width	252,00
Packaging Height	267,00
Packaging Size	MM
Product Description	układ gwiazda-trójkąt AC-3, 75 kW/400 V AC 110 V, 50/60 Hz wielkość S3, przyłącze śrubowe elektryczna i mechaniczna blokada 3NO+3NC
Comparative Metals Coefficient	01.03.2017
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621031163.0
Quantity in Package	1
Product Code	5339
Article Number	3RA24458XF321AG2
Product Family	SIRIUS 3RA24 contactor assemblies for star-delta (wye-delta) starting, up to 90 kW

Catalog ID	CC-IC10
Packaging Dimensions	9.921 x 13.031 x 10.512
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	400 V, 110 V
Frequency Range	50 - 60 Hz
Product Group	5339
Net Weight	12.084 lb
Packaging Quantity	1 pieces
Commodity Code	85364900
Power	75 kW
Utilization Category	AC-3

Description

Contactors assembly for star-delta (we-delta) start AC-3, 75 kW/400 V 110 V AC, 50/60 Hz Size S3, screw terminal electrical and mechanical interlock 3 NO+3 NC