

### 3RA61201AB34

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3ra61201ab34
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4011209713475.0
Quantity in Package	1
Product Code	5341
Weight	1514
Product ID	3RA6120-1AB34
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-09-05
eClass 7.1	27-37-09-05
eClass 8	27-37-09-05
eClass Version 9	27-37-09-05
eClass Version 9.1	27-37-09-05
ETIM 7	EC001037
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LC0-----
Packaging Length	228,50
Packaging Width	181,50
Packaging Height	59,50
Packaging Size	MM
Product Description	SIRIUS, KOMPAKTOWY ZESTAW ROZRUCHOWY, ROZRUCH BEZPOŚREDNI 690 V, 24 V AC/DC, 50 ... 60 HZ, 0.1 ... 0.4 A, IP20, RODZAJ ZACISKÓW OBWODU GŁÓWNEGO: ZACISKI ŚRUBOWE, RODZAJ ZACISKÓW OBWODU POMOCNICZEGO: WTYKOWE, BEZ ZACISKÓW
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830
Unit of Measure	ST

## Description

SIRIUS Compact load feeder DOL starter 690 V 24 V AC/DC 50...60 Hz 0.1...0.4 A IP20  
Connection main circuit: screw terminal Connection auxiliary circuit: plug-in, without terminals