

3RA64002BB43

Industrial automation components

Manufacturer	Siemens
Catalog number	3ra64002bb43
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product Description	SIRIUS, KOMPAKTOWY ZESTAW ROZRUCHOWY, ROZRUCH BEZPOŚREDNI Z IO-LINK, 690 V, 32 A, 24 V DC, 0.32 ... 1.25 A, IP20, RODZAJ ZACISKÓW OBWODU GŁÓWNEGO: WTYKOWE, BEZ ZACISKÓW, RODZAJ ZACISKÓW OBWODU STEROWNICZEGO: ZACISKI SPRĘŻYNOWE
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4011209714816.0
Quantity in Package	1
Product Code	5341
Weight	1381
Comparative Metals Coefficient	01.05.2012
Product ID	3RA6400-2BB43
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	DE
ECCN	EAR99
eClass 6	27-37-09-05
eClass 7.1	27-37-09-05
eClass 8	27-37-09-05
eClass Version 9	27-37-09-05
eClass Version 9.1	27-37-09-05
ETIM 7	EC001037
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LC0-----
Packaging Length	228,50
Packaging Width	181,50
Packaging Height	59,50
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830
Unit of Measure	ST

Description

SIRIUS Compact load feeder DOL starter for IO-Link 690 V 24 V DC 0.32...1.25 A IP20
Connection main circuit: plug-in, without terminals Connection control circuit:
Spring-type terminal