

3RB2153-4FW2

Industrial automation components

Manufacturer	Siemens
Catalog number	3rb2153-4fw2
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.91 kgs
eClass 6	27-37-15-02
eClass 7.1	27-37-15-02
eClass 8	27-37-15-02
eClass Version 9	27-37-15-02
eClass Version 9.1	27-37-15-02
ETIM 7	EC001080
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	L-0-----
Quantity in Package	1
Packaging Length	178,00
Packaging Width	144,00
Packaging Height	137,00
Packaging Size	MM
Product Description	PRZEK. PRZECIĄŻ., 50...200 A DO OCHR. SILNIKA WLK. S6, CLASS 5...30 MONT. GŁ. OBWODZIE STYCZNIKA/WOLNOST.: PRZETYKANY, POM. OBWÓD PRĄDU: Z PRZYŁ. ŚRUB., RĘCZNE/AUTOM. KASOWANIE, WEWN. WYKRYWANIE DOZIEMIEN,
Product Code	5808
Comparative Metals Coefficient	01.07.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \b\bREACHCasNo7368; \b\bREACHCode0236 \b\bREACHCasNo0236
Unit of Measure	ST
Product ID	3RB2153-4FW2
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4011209638365.0
ECCN	N

Description

Overload relay 50...200 A for motor protection Size S6, CLASS 5...30E Contactor mounting/stand-alone installation Main circuit: straight-through transformer Auxiliary circuit: Screw terminal Manual-Automatic-Reset Internal ground fault detection