

3RB3016-1PB0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3rb3016-1pb0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| Weight | 0.45 kgs |
| Product ID | 3RB3016-1PB0 |
| AL Field | N |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85364900 |
| Compliance | Produkt zgodny z RoHS od: 01.10.2009 |
| Configurable Product | False |
| Copper Weight | 0 |
| Country of Origin | CZ |
| EAN | 4011209748637.0 |
| ECCN | N |
| eClass 6 | 27-37-15-02 |
| eClass 7.1 | 27-37-15-02 |
| eClass 8 | 27-37-15-02 |
| eClass Version 9 | 27-37-15-02 |
| eClass Version 9.1 | 27-37-15-02 |
| ETIM 7 | EC001080 |
| Group Classification Key | R711 |
| List of Characteristics | CC-IC10 |
| Metals Coefficient | L-0----- |
| Quantity in Package | 1 |
| Packaging Length | 95,00 |
| Packaging Width | 85,00 |
| Packaging Height | 55,00 |
| Packaging Size | MM |
| Product Description | PRZEKAŹNIK PRZECIĄŻENIOWY 1... 4 A DO OCHR. SILNIKA WIELKOŚĆ S00, CLASS 10 OBWÓD GŁÓWNY: PRZYŁ. ŚRUB. OBW. POM.: PRZYŁ. ŚRUB. RĘCZNE/AUTOM. KASOWANIE, |
| Product Code | 5350 |
| Comparative Metals Coefficient | 01.10.2009 |
| REACH | Lead monoxide (lead oxide) b REACHCasNo7368 |
| Unit of Measure | ST |

Description

3RB3016-1PB0 | Siemens, Overload Relay, 690 V, 1NO/1NC, DIN Rail Mount, 45 x 76 x 78.7 mm | Brand / Manufacturer: Siemens | product type: Overload Relay | supply voltage: 690 V | function: Motor Protection | auxiliary contacts: 1NO;1NC | requirements met: CCC Certified;CSA Certified;EAC Certified;CE Certified;ATEX Certified;UL Listed;IEC 61000-4-2;IEC 61000-4-3;IEC 61000-4-4;DIN EN 81346-2;IEC 60068-2-27 | voltage on terminals: Screw | type of attachment: DIN Rail Mount | Size: 45 x 76 x 78.7 mm | operating temperature range: -25 to +60 °C