

### 3RB3026-1VB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rb3026-1vb0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.45 kgs
Product ID	3RB3026-1VB0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4011209749153.0
ECCN	N
eClass 6	27-37-15-02
eClass 7.1	27-37-15-02
eClass 8	27-37-15-02
eClass Version 9	27-37-15-02
eClass Version 9.1	27-37-15-02
ETIM 7	EC001080
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	L-0-----
Quantity in Package	1
Packaging Length	113,00
Packaging Width	98,00
Packaging Height	57,00
Packaging Size	MM
Product Description	PRZEKAŹNIK PRZECIĄŻENIOWY 10... 40 A DO OCHR. SILNIKA WIELKOŚĆ S0, CLASS 10 OBWÓD GŁÓWNY: PRZYŁ. ŚRUB. OBW. POM.: PRZYŁ. ŚRUB. RĘCZNE/AUTOM. KASOWANIE,
Product Code	5350
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
UPC	662643902945.0

## Description

3RB3026-1VB0 | Siemens, Overload Relay, 1N0/1NC, 690 V ac, 3 Poles, Screw Terminal, 84 x 45 x 87 mm | Brand / Manufacturer: Siemens | type of relay: Overload Relay | contact configuration: 1N0;1NC | supply voltage: 690 V ac | monitoring application: Motor Protection | number of bars: 3 | Minimum measurable current: 10 A | maximum measurable current: 40 A | type of attachment: Contactor Mount | voltage on terminals: Screw | length: 84 mm