

### 3RH21222XB400LA2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rh21222xb400la2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3RH2122-2XB40-0LA2
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4047621016139.0
ECCN	N
eClass 6	27-37-10-01
eClass 7.1	27-37-10-01
eClass 8	27-37-10-01
eClass Version 9	27-37-10-01
eClass Version 9.1	27-37-10-01
ETIM 7	EC000196
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LBP-----
Quantity in Package	1
Packaging Length	78,00
Packaging Width	73,00
Packaging Height	50,00
Packaging Size	MM
Product Description	Stycznik pomocniczy kolejowy 2N0 + 2NC, DC 24-34V, 0,7...1,25*US, ze zintegrowanym warystorem wielkość 500, przyłącze sprężynowe do stosowania z wyjściami PLC
Product Code	5331
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
UPC	804766531941.0
Weight	310

## Description

Contacteur relay for railway 2 NO + 2 NC, DC 24-34V, 0,7...1,25\*US, with integrated varistor Size S00, Spring-type terminal suitable for PLC outputs