

### 3RH2140-1BB40-1AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rh2140-1bb40-1aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	3RH2140-1BB40-1AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4011209933996.0
ECCN	N
eClass 6	27-37-10-01
eClass 7.1	27-37-10-01
eClass 8	27-37-10-01
eClass Version 9	27-37-10-01
eClass Version 9.1	27-37-10-01
ETIM 7	EC000196
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LBP-----
Quantity in Package	1
Packaging Length	61,50
Packaging Width	50,00
Packaging Height	77,50
Product Description	Stycznik pomocniczy, 4 NO, DC 24 V, wielkość S00, przyłącze śrubowe pionowa pozycja montażowa
Product Code	5331
Comparative Metals Coefficient	01.10.2009
Unit of Measure	ST
Weight	289
Packaging Size	MM
Article Number	3RH21401BB401AA0
Product Family	Ordering Data Overview
Catalog ID	CC-IC10
Packaging Dimensions	1.969 x 2.421 x 3.051

<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	24 V
<b>Product Group</b>	5331
<b>Net Weight</b>	0.637 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85364900