

### 3RH2140-2BB40

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rh2140-2bb40
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.13 kgs
<b>Product Description</b>	PRZEKAŹNIK POMOCNICZY, 4NO DC 24V, ROZMIAR S00, ZACISKI SPRĘŻYNOWE
<b>Product Code</b>	5331
<b>Comparative Metals Coefficient</b>	01.10.2009
<b>Unit of Measure</b>	ST
<b>UPC</b>	662643907056.0
<b>Product ID</b>	3RH2140-2BB40
<b>AL Field</b>	N
<b>Aluminium Weight</b>	0
<b>Argent Weight</b>	0
<b>Customs Tariff Code</b>	85364900
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.10.2009
<b>Configurable Product</b>	False
<b>Copper Weight</b>	0
<b>Country of Origin</b>	DE
<b>EAN</b>	4011209828629.0
<b>ECCN</b>	N
<b>eClass 6</b>	27-37-10-01
<b>eClass 7.1</b>	27-37-10-01
<b>eClass 8</b>	27-37-10-01
<b>eClass Version 9</b>	27-37-10-01
<b>eClass Version 9.1</b>	27-37-10-01
<b>ETIM 7</b>	EC000196
<b>Group Classification Key</b>	R711
<b>List of Characteristics</b>	CC-IC10
<b>Metals Coefficient</b>	LBP-----
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	73,50
<b>Packaging Width</b>	50,00
<b>Packaging Height</b>	77,50
<b>Packaging Size</b>	MM

## Description

3RH2140-2BB40 | Siemens, Contactor Relay, 4NO, 10 A, 4 W, 24 V dc (Control), S00, DC (Control), 1000 MHz, IP20 | Brand / Manufacturer: Siemens | product type: Contactor Relay | contact configuration: 4NO | current rating: 10 A | power classification: 4 W | supply voltage: 24 V dc (Control) | size: S00 | type of tension: DC (Control) | frequency classification: 1000 MHz | number of auxiliary contacts: 4