

3RH2911-1HA22

Industrial automation components

Manufacturer	Siemens
Catalog number	3rh2911-1ha22
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.02 kgs
Product ID	3RH2911-1HA22
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85365080
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4011209829312.0
ECCN	N
eClass 6	27-37-13-02
eClass 7.1	27-37-13-02
eClass 8	27-37-13-02
eClass Version 9	27-37-13-02
eClass Version 9.1	27-37-13-02
ETIM 7	EC000041
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LDP-----
Quantity in Package	1
Packaging Length	60,00
Packaging Width	50,00
Packaging Height	43,00
Packaging Size	MM
Product Description	BLOK STYKÓW POMOCNICZYCH, 2N0+2NC, MONTOWANY Z PRZODU, DO STYCZNIKÓW 3RT2.1, 3RT2.2 i 3RH21 W WIELKOŚCI S00 i S0, ZACISKI ŚRUBOWE
Product Code	5344
Comparative Metals Coefficient	01.10.2009
Unit of Measure	ST
UPC	662643910117.0

Description

3RH2911-1HA22 | Siemens, 3RH2911 Series, Auxiliary Switch Block, 2NO/2NC, 690 V, 37.5 x 36 x 43.7 mm | Brand / Manufacturer: Siemens | product type: Auxiliary Switch Block | number of contacts: 4 | input voltage: 690 V | type of attachment: Snap-On Mount | contact configuration: 2NO;2NC | series: 3RH2911 | level of security: IP20 | for use with: Contactor Relay and Power Contactor | voltage on terminals: Screw | mechanical life: 10000000 cycles | current rating: 10 A | Size: 37.5 x 36 x 43.7 mm | maximum working temperature: +60 °C | minimum operating temperature: -25 °C