

3RK1105-1AE04-2CA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3rk1105-1ae04-2ca0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.45 kgs
eClass Version 9	27-24-26-08
eClass Version 9.1	27-24-26-08
ETIM 7	EC001604
Group Classification Key	R711
List of Characteristics	CC-IC10
Quantity in Package	1
Packaging Length	110,00
Packaging Width	55,00
Packaging Height	125,00
Packaging Size	MM
Product Description	MONITOR BEZPIECZEŃSTWA Z ROZSZERZ. FUNKCJONALNOŚCIĄ, 1 OBWÓD DOPUSZCZAJĄCY IP20 1 OBWÓD SYGNALIZACYJNY, 40 MS
Product Code	3720
Comparative Metals Coefficient	01.07.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \b\bREACHCasNo7368; Lead titanium zirconium oxide \b\bREACHCasNo0830
Unit of Measure	ST
UPC	754554885957.0
Product ID	3RK1105-1AE04-2CA0
Notes	Wycofanie produktu od: 01.10.2022 Zmiana na F-CM AS-i Safety ST (3RK7136-6SC00-0BC1) plus F-DQ ET 200S
AL Field	N
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	CZ
EAN	4011209592230.0
ECCN	N
eClass 6	27-24-26-08
eClass 7.1	27-24-26-08
eClass 8	27-24-26-08

Description

ASIsafe extended Safety monitor 1 F-R0 1 enabling circuit IP20, with screw terminal removable terminals Safe output relay Response time maximum 40 ms Monitor type 3, Version 3 Can be used up to Category 4 (EN954-1) up to PL E (EN ISO 13849-1) up to SIL 3 (IEC 61508)