

3RK1304-5KS40-2AA3

Industrial automation components

Manufacturer	Siemens
Catalog number	3rk1304-5ks40-2aa3
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	1.81 kgs
Product ID	3RK1304-5KS40-2AA3
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4011209646735.0
ECCN	N
eClass 6	27-37-09-05
eClass 7.1	27-37-09-05
eClass 8	27-37-09-05
eClass Version 9	27-37-09-05
eClass Version 9.1	27-37-09-05
ETIM 7	EC001037
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Quantity in Package	1
Packaging Length	309,00
Packaging Width	228,00
Packaging Height	184,00
Packaging Size	MM
Product Description	ET 200PRO DSE HF HIGH FEATURE, ROZRUCH BEZPOŚREDNI, ŁĄCZENIE MECHANICZNE, ELEKTRONICZNA OCHRONA UE 3PH 400 V/0.9KW; 0.15A...2.00A STYK HAMUJĄCY 400V AC; 4DI 24 V DC; HAN Q4/2 - HAN Q8/0
Product Code	3723
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830
Unit of Measure	ST
UPC	40892691771.0

Description

3RK1304-5KS40-2AA3 | ET 200PRO DSE HF DIRECT STARTER HIGH FEATURE; MECH. SWITCHING;
ELECTRO. UE PROTECTION; 3PH 400 V/0.9KW; 0.15A...2.00A BRAKE CONTACT 400 V AC; 4DI 24 V
DC; HAN Q4/2 - HAN Q8/0 | Brand / Manufacturer: Siemens