

3RK1304-5LS40-4AA0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3rk1304-5ls40-4aa0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|---------------------------------------|--|
| Weight | 0.73 kgs |
| eClass 7.1 | 27-37-09-05 |
| eClass 8 | 27-37-09-05 |
| Product ID | 3RK1304-5LS40-4AA0 |
| AL Field | N |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85371098 |
| Compliance | Produkt zgodny z RoHS od: 01.05.2012 |
| Configurable Product | False |
| Copper Weight | 0 |
| Country of Origin | DE |
| EAN | 4011209659827.0 |
| ECCN | N |
| eClass 6 | 27-37-09-05 |
| eClass Version 9 | 27-37-09-05 |
| eClass Version 9.1 | 27-37-09-05 |
| ETIM 7 | EC001037 |
| Group Classification Key | R711 |
| List of Characteristics | CC-IC10 |
| Metals Coefficient | LA0----- |
| Quantity in Package | 1 |
| Packaging Length | 309,00 |
| Packaging Width | 228,00 |
| Packaging Height | 184,00 |
| Packaging Size | MM |
| Product Description | ET 200PRO DSE ST STANDARD, ROZRUCH BEZPOŚREDNI, ŁĄCZENIE MECHANICZNE, ELEKTRONICZNA OCHRONA UE 3PH 400 V/5.5KW; 1.50A...12.00 BEZ STYKU HAMUJĄCEGO - HAN Q4/2 - HAN Q8/0 |
| Product Code | 3723 |
| Comparative Metals Coefficient | 01.05.2012 |
| REACH | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830 |
| Unit of Measure | ST |
| UPC | 662643245127.0 |

Description

3RK1304-5LS40-4AA0 | Siemens, 3RK1304 Series, Dol Starter, 12 A, 20.4 to 28.8 V dc | Brand / Manufacturer: Siemens | depth: 184 | mass: 1.6 | product type: Dol Starter | series: 3RK1304 | current rating: 12 A | rated voltage: 20.4 to 28.8 V dc | type of attachment: Screw Mount | length: 150 mm | width: 110 mm | height: 230 mm | minimum operating temperature: -25 °C | maximum working temperature: +55 °C