

3RK13045LS404AA3

Industrial automation components

Manufacturer	Siemens
Catalog number	3rk13045ls404aa3
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209659834.0
eClass 6	27-37-09-05
eClass 7.1	27-37-09-05
eClass 8	27-37-09-05
eClass Version 9	27-37-09-05
eClass Version 9.1	27-37-09-05
Quantity in Package	1
Packaging Length	309,00
Packaging Width	228,00
Packaging Height	184,00
Product Code	3723
Comparative Metals Coefficient	01.05.2012
UPC	662643393781.0
Weight	1735 kg
Product ID	3RK1304-5LS40-4AA3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC001037
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Size	MM
Product Description	ET 200PRO DSE ST STANDARD, ROZRUCH BEZPOŚREDNI, ŁĄCZENIE MECHANICZNE, ELEKTRONICZNA OCHRONA UE 3PH 400 V/5.5KW; 1.50A...12.00 STYK HAMUJĄCY 400V AC; - HAN Q4/2 - HAN Q8/0
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830
Unit of Measure	ST

Description

The ET 200PRO DSE ST STANDARD is designed for direct starting with mechanical connection and electronic protection. It operates at 3PH 400 V and a power of 5.5 kW, with a current range of 1.50A to 12.00A. The product is RoHS compliant since 01.05.2012 and is manufactured in Germany. It weighs 1735 g, with packaging dimensions of 309 mm in length, 228 mm in width, and 184 mm in height. The product EAN is 4011209659834.