

3RK1325-6KS71-2AA5

Industrial automation components

Manufacturer	Siemens
Catalog number	3rk1325-6ks71-2aa5
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209823617.0
Quantity in Package	1
Product Code	3722
AL Field	N
UPC	662643543834.0
Weight	3996
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Product ID	3RK1325-6KS71-2AA5
Configurable Product	False
eClass Version 9	27-37-09-05
Country of Origin	DE
eClass Version 9.1	27-37-09-05
ETIM 7	EC001037
Group Classification Key	R711
List of Characteristics	CC-IC10
ECCN	EAR99
Metals Coefficient	LA0-----
Packaging Length	377,00
Packaging Width	287,00
Packaging Height	221,00
Packaging Size	MM
eClass 6	27-37-09-05
Comparative Metals Coefficient	01.07.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
eClass 7.1	27-37-09-05
eClass 8	27-37-09-05

Description

SIRIUS motor starter M200D AS-i Communication: AS-Interface DOL starter Standard
Electronic switching AC-3, 0.75KW / 400 V 0.15 A...2.00 A Electronic overload protection
Thermistor: THERMOCLICK / PTC with brake contact 180 V DC 4 DI / 1 DO AS-i Han Q4/2 - Han
Q8/0 with manual on-site operation and key-operated switch