

### 3RK13956LS412AD5

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rk13956ls412ad5
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85371098
Copper Weight	0
EAN	4011209824218.0
eClass 6	27-37-09-05
eClass 7.1	27-37-09-05
eClass 8	27-37-09-05
eClass Version 9	27-37-09-05
eClass Version 9.1	27-37-09-05
Quantity in Package	1
Packaging Length	377,00
Packaging Width	287,00
Packaging Height	221,00
Product Code	3722
Comparative Metals Coefficient	01.07.2006
UPC	662643544725.0
Weight	3700 kg
Product ID	3RK1395-6LS41-2AD5
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	DE
ECCN	EAR99
ETIM 7	EC001037
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST

## Description

The 3RK13956LS412AD5 product from SIEMENS is an advanced industrial device that complies with RoHS standards since July 1, 2006. Conforming to eClass classification, the product features a weight of 3700 g and packaging dimensions of 377 mm in length, 287 mm in width, and 221 mm in height. Originating from Germany, the product is non-configurable and is supplied in a single unit package. Additionally, it complies with REACH regulations, making it a suitable choice for modern industrial applications.