

### 3RK31112AA10

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rk31112aa10
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3RK3111-2AA10
Notes	Wycofanie produktu od: 01.10.2021 następcą 3SK2, S7-1200F lub ET200SP w przypadku stosowania AS-i
AL Field	N
Customs Tariff Code	85371098
Compliance	Produkt zgodny z RoHS od: 28.05.2009
Configurable Product	False
Country of Origin	DE
EAN	4011209684225.0
ECCN	EAR99
eClass 6	27-37-18-19
eClass 7.1	27-37-18-19
eClass 8	27-37-18-19
eClass Version 9	27-37-18-19
eClass Version 9.1	27-37-18-19
ETIM 7	EC001449
Group Classification Key	R711
List of Characteristics	CC-IC10
Quantity in Package	1
Packaging Length	133,00
Packaging Width	52,50
Packaging Height	133,00
Packaging Size	MM
Product Description	3RK3 PRZEKAŹNIK BEZPIECZEŃSTWA PROGRAMOWALNY, MODUŁ PODSTAWOWY 4/8 F-DI, 1F-R0, 1 F-DO, 24V DC, SPEŁNIA KATEGORI WG: EN- 954 KATEGORIA 4; IEC 61508 - SIL 3; ISO 13849-1 - PL e; ZACISKI SPRĘŻYNOWE
Product Code	5358
Comparative Metals Coefficient	28.05.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
UPC	754554961934.0
Weight	354

## Description

SIRIUS, central unit 3RK3 Basic for modular Safety system 3RK3 4/8 F-DI,1F-R0,1 F-D0,24 V DC parameterizable using software Safety ES 45 mm overall width Spring-type terminal Up to SIL3 (IEC 61508) Up to Performance Level E (ISO 13849-1)