

### 3RQ2000-1CW01

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rq2000-1cw01
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.09 kgs
<b>Product ID</b>	3RQ2000-1CW01
<b>AL Field</b>	N
<b>Aluminium Weight</b>	0
<b>Argent Weight</b>	0
<b>Customs Tariff Code</b>	85364900
<b>Compliance</b>	Produkt zgodny z RoHS od: 31.05.2018
<b>Configurable Product</b>	False
<b>Copper Weight</b>	0
<b>Country of Origin</b>	DE
<b>EAN</b>	4047621050447.0
<b>ECCN</b>	N
<b>eClass 6</b>	27-37-16-01
<b>eClass 7.1</b>	27-37-16-01
<b>eClass 8</b>	27-37-16-01
<b>eClass Version 9</b>	27-37-16-01
<b>eClass Version 9.1</b>	27-37-16-01
<b>ETIM 7</b>	EC001437
<b>Group Classification Key</b>	R711
<b>List of Characteristics</b>	CC-IC10
<b>Metals Coefficient</b>	LA-----
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	125,00
<b>Packaging Width</b>	110,00
<b>Packaging Height</b>	35,00
<b>Packaging Size</b>	MM
<b>Product Description</b>	Przełącznik dołączający w obudowa przemysłowa 3 zestyki przełączne pozłacane utwardzane szeroki zakres napięć AC/DC 24 V do 240 V przyłącze śrubowe
<b>Product Code</b>	4949
<b>Comparative Metals Coefficient</b>	31.05.2018
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
<b>Unit of Measure</b>	ST
<b>UPC</b>	804766715129.0