

3RR2242-1FW30

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 3rr2242-1fw30 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|---|
| Weight | 0.45 kgs |
| Product ID | 3RR2242-1FW30 |
| AL Field | N |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85364900 |
| Compliance | Produkt zgodny z RoHS od: 01.10.2009 |
| Configurable Product | False |
| Copper Weight | 0 |
| Country of Origin | CZ |
| EAN | 4011209787308.0 |
| ECCN | N |
| eClass 6 | 27-37-18-02 |
| eClass 7.1 | 27-37-18-02 |
| eClass 8 | 27-37-18-02 |
| eClass Version 9 | 27-37-18-02 |
| eClass Version 9.1 | 27-37-18-02 |
| ETIM 7 | EC001440 |
| Group Classification Key | R711 |
| List of Characteristics | CC-IC10 |
| Metals Coefficient | LA0----- |
| Quantity in Package | 1 |
| Packaging Length | 117,00 |
| Packaging Width | 99,00 |
| Packaging Height | 57,00 |
| Packaging Size | MM |
| Product Description | PRZEKAŹNIK KONTROLI OBCIĄŻENIA DO 3RT2. WIEL.S0, WER. STANDARD, PARAM. CYFROWA/AKTYWNY MON. PRĄDU. 4 - 40A, 20-400 HZ, MON. 3 FAZ, ZAS. 24-240 V AC/DC, STYK 1CO, 1WY. PÓŁPRZEW. DO ALARM. I OSTRZ. O PRZEC. I NIEDOCIĄŻ., ZAN. FAZY, Z/BEZ PAMIĘCI USZK. |
| Product Code | 5343 |
| Comparative Metals Coefficient | 01.10.2009 |
| REACH | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105; lblREACHCode0236 lblREACHCasNo0236 |
| Unit of Measure | ST |

UPC

662643853711.0