

3RR24412AA40

Industrial automation components

Manufacturer	Siemens
Catalog number	3rr24412aa40
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Packaging Length	100,00
Product ID	3RR2441-2AA40
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.10.2009
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4011209915855.0
ECCN	N
eClass 6	27-37-18-02
eClass 7.1	27-37-18-02
eClass 8	27-37-18-02
eClass Version 9	27-37-18-02
eClass Version 9.1	27-37-18-02
ETIM 7	EC001440
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LA0-----
Quantity in Package	1
Packaging Width	85,00
Packaging Height	60,00
Packaging Size	MM
Product Code	5343
Comparative Metals Coefficient	01.10.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
UPC	887621015756.0
Weight	248

Description

Current monitoring relay for IO-Link, can be mounted to Contactor 3RT2, Size S00
Apparant/active current monitoring 1.6-16 A, 20-400 Hz, 3-phase Supply voltage 24 V DC 1
change-over contact Monitoring for Current overshoot and undershoot Current asymmetry
Phase failure, Cable break Phase sequence, Residual current Blocking current, Switching
cycle and Operating hours counter Warning and alarm thresholds Auto-reset or manual reset
ON delay 0-9999.9 s OFF delay 0-9999.9 s Reclosing delay 0-300 min spring-type connection
system