

### 3RT10541SF36

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rt10541sf36
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621042947.0
Quantity in Package	1
Product Code	3706
Weight	3641
Product ID	3RT1054-1SF36
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.03.2017
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LF0-----
Packaging Length	200,00
Packaging Width	133,00
Packaging Height	183,00
Packaging Size	MM
Product Description	stycznik mocy, AC-3e/AC-3 115 A, 55 kW / 400 V, AC (50-60 Hz) / DC Uc: 96-127 V x (0,8-1,1) wejście PLC F 24 V DC 3-bieg., zestyki pomocnicze 2 NO + 2 NC napęd: elektroniczny obwód główny: zacisk ramowy obwód sterowniczy i pomocniczy: przyłącze śrubowe
Comparative Metals Coefficient	01.03.2017
Unit of Measure	ST
Article Number	3RT10541SF36
Product Family	SIRIUS 3RT contactors, 3-pole, up to 250 kW
Catalog ID	CC-IC10

<b>Packaging Dimensions</b>	5.236 x 7.874 x 7.205
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	400 V, 127 V, 24 V
<b>Frequency Range</b>	50 - 60 Hz
<b>Product Group</b>	3706
<b>Net Weight</b>	8.027 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85364900
<b>Current Rating</b>	115 A
<b>Power</b>	55 kW
<b>Number of Poles</b>	3
<b>Utilization Category</b>	AC-3

## Description

Power contactor, AC-3 115 A, 55 kW / 400 V Coil AC 50/60 Hz and DC 96-127 V x (0.8-1.1)  
F-PLC input 24 V DC 3-pole size S6 Auxiliary contacts 2 NO + 2 NC Main circuit: Box  
terminal Control and auxiliary circuit: screw terminal