

3RT1055-6AP36

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt1055-6ap36
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.31 kgs
Product ID	3RT1055-6AP36
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4011209507333.0
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LF0-----
Quantity in Package	1
Packaging Length	129,00
Packaging Width	190,00
Packaging Height	181,00
Packaging Size	MM
Product Description	STYCZNIK, 75KW/400V/AC-3 AC/DC ZNAMION. NAP. STERUJĄCE UC 220-240V STYKI POM. 2NO+2NC 3-P, WLK. S6 PRZYŁĄCZE SZYNOWE - NAPĘD KONWENCJ.
Product Code	3706
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	754554771670.0

Description

3RT1055-6AP36 | Siemens, Power Contactor, 3 Pole, 3NO, 150 A, 75 kW @ 400 V ac/dc 220 to 240 V ac/dc, S6 | Brand / Manufacturer: Siemens | product type: Power Contactor | number of bars: 3 | contact configuration: 3NO | current rating: 150 A | power classification: 75 kW @ 400 V ac/dc | supply voltage: 220 to 240 V ac/dc | size: S6 | type of tension: AC;DC | frequency classification: 50/60 Hz | number of auxiliary contacts: 4 | protection class: IP20;IP00