

3RT1056-6NP36

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt1056-6np36
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	1.51 kgs
Product ID	3RT1056-6NP36
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4011209507623.0
ECCN	EAR99
eClass 6	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LF0-----
Quantity in Package	1
Packaging Length	129,00
Packaging Width	190,00
Packaging Height	181,00
Packaging Size	MM
Product Description	STYCZNIK, 90KW/400V/AC-3 AC/DC ZNAMION. NAP. STERUJĄCE UC 200-277V STYKI POM. 2N0+2NC 3-P, WLK. S6 PRZYŁĄCZE SZYNOWE NAPĘD ELEKTRONICZNY DO WYJŚCIA SPS 24 V DC
Product Code	3706
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	754554773698.0
eClass 7.1	27-37-10-03

Description

3RT1-056-6NP36 | Siemens, Power Contactor, 215 A, 200 to 277 V ac/dc, 3NO, IP20 | Brand / Manufacturer: Siemens | product type: Power Contactor | number of bars: 3 | contact configuration: 3NO | current rating: 215 A | power classification: 210 kW | supply voltage: 200 to 277 V ac/dc | size: S6 | type of tension: AC;DC | frequency classification: 50/60 Hz;800 MHz (Switching Operation) | number of auxiliary contacts: 4 | protection class: IP20;IP00