

### 3RT10752XJ460LA2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rt10752xj460la2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
EAN	4047621022888.0
Quantity in Package	1
Product Code	3706
UPC	804766783371.0
Weight	10497
Packaging Height	277,00
Packaging Width	237,00
Product ID	3RT1075-2XJ46-0LA2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 06.09.2016
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LF0-----
Packaging Length	294,00
Packaging Size	MM
Comparative Metals Coefficient	06.09.2016
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Lead titanium zirconium oxide lblREACHCasNo0830; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST

## Description

Traction contactor, AC-3 400 A, 200 kW / 400 V Coil 72 V DC x (0.7-1.25) PLC input 24-110 V DC Auxiliary contacts 2 NO + 2 NC 3-pole size S12 Busbar connections Coil connection: Spring-type terminal