

3RT10756AP363PA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3rt10756ap363pa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85364900
Copper Weight	0
eClass 6	27-37-10-03
eClass 7.1	27-37-10-03
eClass 8	27-37-10-03
eClass Version 9	27-37-10-03
eClass Version 9.1	27-37-10-03
Quantity in Package	1
Packaging Length	233,00
Packaging Width	295,00
Packaging Height	285,00
Product Code	3706
Comparative Metals Coefficient	01.05.2012
Weight	10185 kg
Product ID	3RT1075-6AP36-3PA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
ECCN	N
ETIM 7	EC000066
Group Classification Key	R711
List of Characteristics	CC-IC10
Metals Coefficient	LF0-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Product Description	Power contactor, AC-3 400 A, 200 kW / 400 V AC (50-60 Hz) / DC operation 220-240 V UC Auxiliary contacts 2 NO + 2 NC 3-pole, Size S12 Busbar connections Drive: conventional screw terminal Aux. switch captive, DIN 50012
EAN	4047621017563
Country of Origin	Germany
Article Number	3RT10756AP363PA0
Frequency Range	50 - 60 Hz

Product Family	SIRIUS 3RT contactors, 3-pole, up to 250 kW
Product Group	3706
Catalog ID	CC-IC10
Net Weight	22.454 lb
Packaging Dimensions	11.614 x 9.173 x 11.22
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85364900
Current Rating	400 A
Voltage Rating	400 V, 240 V
Power	200 kW
Number of Poles	3
Utilization Category	AC-3

Description

Siemens power contactor 3RT10756AP363PA0, designed for AC-3e/AC-3 applications, supports a current rating of up to 400 A and a power of 200 kW at 400 V AC. It features 2 NO + 2 NC auxiliary contacts, permanently mounted, with a conventional drive. The main circuit has a screw connection, while the control and auxiliary circuit has a screw connection. Product compliant with RoHS since 01.05.2012, weight 22.454 kg.