

### 3RT1355-6AP36

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 3rt1355-6ap36                    |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                |   |
|--------------------------------|---|
| Country of Origin              | SE  |
| Product ID                     | 3RT1355-6AP36   |
| AL Field                       | N   |
| Aluminium Weight               | 0   |
| Argent Weight                  | 0   |
| Customs Tariff Code            | 85364900  |
| Compliance                     | Produkt zgodny z RoHS od: 27.03.2017  |
| Configurable Product           | False   |
| Copper Weight                  | 0   |
| EAN                            | 4047621048727.0   |
| ECCN                           | N   |
| eClass 6                       | 27-37-10-03   |
| eClass 7.1                     | 27-37-10-03   |
| eClass 8                       | 27-37-10-03   |
| eClass Version 9               | 27-37-10-03   |
| eClass Version 9.1             | 27-37-10-03   |
| ETIM 7                         | EC000066  |
| Group Classification Key       | R711  |
| List of Characteristics        | CC-IC10   |
| Metals Coefficient             | LF0-----  |
| Quantity in Package            | 1   |
| Packaging Length               | 200,00  |
| Packaging Width                | 150,00  |
| Packaging Height               | 173,00  |
| Packaging Size                 | MM  |
| Product Description            | Stycznik, AC-1, 200 A/400 V/40 °C, S6, 4-biegunowy, AC/DC 100-250 V, 2NO+2NC, szyna przyłączeniowa/ przyłącze śrubowe |
| Product Code                   | 2236  |
| Comparative Metals Coefficient | 27.03.2017  |
| Unit of Measure                | ST  |
| UPC                            | 195125078123.0  |
| Weight                         | 1880  |
| Article Number                 | 3RT13556AP36  |
| Product Family                 | SIRIUS 3RT.3 contactors, 4-pole, up to 525 A  |
| Catalog ID                     | CC-IC10   |

|                                     |                       |
|-------------------------------------|-----------------------|
| <b>Packaging Dimensions</b>         | 5.906 x 7.874 x 6.811 |
| <b>Package Size Unit of Measure</b> | Inch                  |
| <b>Quantity Unit</b>                | 1 Piece               |
| <b>Voltage Rating</b>               | 400 V, 250 V          |
| <b>Product Group</b>                | 2236                  |
| <b>Net Weight</b>                   | 4.224 lb              |
| <b>Packaging Quantity</b>           | 1 pieces              |
| <b>Commodity Code</b>               | 85364900              |
| <b>Current Rating</b>               | 200 A                 |
| <b>Number of Poles</b>              | 4                     |
| <b>Utilization Category</b>         | AC-1                  |