

### 3RT1926-2FJ21

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3rt1926-2fj21
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.08 kgs
<b>Product ID</b>	3RT1926-2FJ21
<b>AL Field</b>	N
<b>Aluminium Weight</b>	0
<b>Argent Weight</b>	0
<b>Customs Tariff Code</b>	85364190
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.07.2006
<b>Configurable Product</b>	False
<b>Copper Weight</b>	0
<b>Country of Origin</b>	CZ
<b>EAN</b>	4011209308442.0
<b>ECCN</b>	N
<b>eClass 6</b>	27-37-13-08
<b>eClass 7.1</b>	27-37-13-08
<b>eClass 8</b>	27-37-13-08
<b>eClass Version 9</b>	27-37-13-08
<b>eClass Version 9.1</b>	27-37-13-08
<b>ETIM 7</b>	EC002060
<b>Group Classification Key</b>	R711
<b>List of Characteristics</b>	CC-IC10
<b>Metals Coefficient</b>	LA-----
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	105,00
<b>Packaging Width</b>	45,00
<b>Packaging Height</b>	50,00
<b>Packaging Size</b>	MM
<b>Product Description</b>	ELEKTR. ZWŁOCZNY BLOK STYKÓW POM., ZAKRES CZASU 0.5 S...10 S, AC/DC 24 V, 1NO + 1NC, OPÓŹNIENIE ODPADANIA, BEZ NAP. POM., DO MOCOW. OD PRZODU STYCZNIKA WLK. S0...S12
<b>Product Code</b>	5347
<b>Comparative Metals Coefficient</b>	01.07.2006
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
<b>Unit of Measure</b>	ST